## Test point for logic For printed board with a thickness of t1.0, t0.8


### SA series (1000pcs/pack)

- This is a check terminal to be used for a PC board with a thickness of t1.0, t0.8
- Material: Brass
- Finish: Gold plating over nickel base

#### ■ Table of dimensions

Part No.	Н	Printed board fitting hole diamete [ $\phi$ ]	
SA-1-1	3.0	0.8	
SA-1-2	5.0	0.8	






# Test point for logic For printed board with a thickness of t0.6 or less

### SE series (1000pcs/pack)

- This is a check terminal to be used for a PC board with a thickness of t0.6 or less.
- Please use this terminal for a ceramic board, flexible board, etc.
- Material: Brass
- Finish: Gold plating over nickel base





#### ■ Table of dimensions

Part No.	А	В	С	D	Printed board fitting hole diameter
SE-1-1	1.0	0.7	1.0	0.48	φ 0.5
SE-1-2	1.0	0.7	1.5	0.48	φ 0.5
SE-1-3	1.0	0.7	2.0	0.48	φ 0.5
SE-2-1	1.5	1.0	1.0	0.78	φ 0.8
SE-2-2	1.5	1.0	1.5	0.78	φ 0.8
SE-2-3	1.5	1.0	2.0	0.78	φ 0.8
SE-2-4	1.5	1.0	3.0	0.78	φ 0.8


# Long test point


#### CT-8 series (100pcs/pack)

- Please use this terminal when a tall part is installed nearby.
- In addition to using it for check, you can fit a part on the terminal.
- Material: Brass
- Finish: Gold plating over nickel base
- Recommended fitting hole:

TH: φ 1.6 Land: φ 4







■ Part No. CT-8-30

■ Part No. A

CT-8-20

CT-8-25

В

20 8

25 10.5